

Testosterone Cypionate is available in combination with either Dehydroepiandrosterone (DHEA) or Anastrozole

What strengths are available?

These blends are available in 10ml size vials and are compounded using grapeseed oil

- Testosterone cypionate/DHEA 200mg/10mg per ml
- Testosterone cypionate/Anastrozole 200mg/1mg per ml
- Testosterone cypionate/Anastrozole 200mg/0.5mg per ml

What is this medication?

- Testosterone is an anabolic steroid
- Anastrozole is an aromatase inhibitor, which stops the conversion of testosterone to estradiol
- DHEA is a hormone that may be given when you no longer produce enough on your own due to adrenal insufficiency.
- It may be used to reduce the symptoms of male hypogonadism (erectile dysfunction, infertility, decrease in beard and body hair growth, decrease in muscle mass, development of breast tissue, or loss of bone mass).
- It may also be used for other conditions as determined by your doctor

How should I use this medicine?

Follow the instructions on your prescription label provided by the pharmacy and your prescriber. Your dosage is based on your medical condition and response to therapy.

This is given as a shot into the muscle or fatty part of the skin. Wash hands and sanitize the injection site with alcohol prior to administration. Do not use the solution if it becomes cloudy, has particles, or changes color. Do not use after the beyond use date, which is provided on the label. Dispose of used needles in a Sharps container.

What if I miss a dose?

If you miss a dose take it as soon as possible. If it is almost time for your next dose, skip the missed dose and continue with your regular dosing schedule. Do not double the dose.

What should I watch for while using this medicine?

Signs of an allergic reaction: hives blistering, swelling of the mouth, face, lips tongue throat, trouble breathing.

Signs of injection site reaction: redness or itching around the site the injection occurred.

What side effects may I notice from receiving this medicine?

Headache

Acne

Emotional instability

Loss of strength and energy

Trouble sleeping
Changes in hair growth

Where should I store my medication?

Store at room temperature between 20°C to 25°C. Protect from light.

Additional Information:

- Do not share this medication with others to whom it was not prescribed.
- Keep out of reach from children and pets.
- If an overdose is suspected contact your local poison control center at 1-800-222-1222 or go to the nearest emergency room.
- Do not use this medication if you are pregnant or breastfeeding.

If you have any questions concerning this or any of your medications, a pharmacist is available during normal business hours to answer your questions.

You may report side effects to the FDA at 1-800-FDA-1088.

Information Use and Disclaimer: This information should not be used to decide whether or not to prescribe this medicine or any other medicine. Only the healthcare provider has the knowledge and training to decide which medicines are right for a specific patient. This information does not endorse any medicine as safe, effective, or approved for treating any patient or health condition. This is only a brief summary of anecdotal information about this medicine. It does NOT include all information about the possible uses, directions, warnings, precautions, interactions, adverse effects, or risks that may apply to this medicine. This information is not specific medical advice.



12860 West Cedar Drive, Suite 211, Lakewood, CO 80228 **Phone:** (877) 267-3410 I (303) 963-5488 **Email:** Orders@BelmarSelectOutsourcing.com **Online:** BelmarPharmaSolutions.com

The information provided herein is for prescriber reference only and nothing herein should be construed as making a claim about the safety or effectiveness of compounded products, including any products compounded by Belmar Pharmacy and/or APS Pharmacy. Nothing herein is intended to replace or influence the independent judgment of any licensed professional. Patients interested in any products compounded by Belmar Pharmacy and/or APS Pharmacy are encouraged to speak to a medical professional about their medical options and before seeking treatment.